

ACKNOWLEDGEMENTS

We are grateful to Glen Chisholm and Sampson Hollywood for assistance during dive surveys and Wendy Baker for assistance with data entry/ management. Sea levels/ predictions/ residuals for port(s) are supplied by the National Tidal Facility, Flinders University of South Australia, copyright reserved. This survey was funded by the Great Barrier Reef Marine Park Authority, the Department of Primary Industries, Queensland and the Australian Cooperative Research Centre Program through the CRC for Ecologically Sustainable Development of the Great Barrier Reef. The fine-scale survey of seagrasses at Oyster Point was funded by the Queensland Department of Economic Development and Trade.

REFERENCES

- Coles, R.G. and Lee Long, W.J. (1985). Juvenile prawn biology and the distribution of seagrass prawn nursery grounds in the south-eastern Gulf of Carpentaria. In 'Second Australian National Prawn Seminar, Cleveland.' (Eds P. P. Rothlisberg, D. J. Hill and D. J. Staples.) pp. 55-60. (NPS2: Cleveland, Australia.)
- Coles, R.G., Lee Long, W.J., Squire, B.A., Squire, L.C. and Bibby, J.M. (1987). Distribution of seagrasses and associated juvenile commercial penaeid prawns in north-eastern Queensland waters. *Australian Journal of Marine and Freshwater Research* **38**, 103-119.
- Coles, R.G., Lee Long, W.J., Helmke, S.A., Bennett, R.E., Miller, K.J. and Derbyshire, K.J. (1992). 'Seagrass beds and juvenile prawn and fish nursery grounds, Cairns to Bowen'. Queensland Department of Primary Industries Information Series, QI92012. 64pp.
- Coles, R.G., Lee Long, W.J., Watson, R.A. and Derbyshire, K.J. (1993). Distribution of seagrasses, and their fish and penaeid prawn communities, in Cairns Harbour, a tropical estuary, northern Queensland, Australia. In 'Tropical Seagrass Ecosystems; Structure and Dynamics in the Indo-West Pacific.' *Australian Journal of Marine and Freshwater Research* **44**, 193-210.
- Coles, R. and Kuo, J. (1995). Seagrasses. In: 'Marine and Coastal Biodiversity in the Tropical Island Pacific Region, Volume 1, Systematics and Information Management Priorities'. (Eds J.E. Maragos, M.N. Peterson, L.G. Eldredge, J.E. Bardach & H.F. Takeuchi) pp.39-57. (East-West Centre, Honolulu)
- Coles, R.G., Lee Long, W.J. and McKenzie, L.J., (1997). Distribution and Abundance of Seagrasses at Oyster Point, Cardwell - Spring (November) 1995 and Winter (August) 1996. Queensland Department of Primary Industries Information Series QI97055 (QDPI, NFC Cairns) 33pp.
- den Hartog, C. (1970). 'The Seagrasses of the World'. (North-Holland Publ. Co.: Amsterdam).
- Dennison, W.C., Orth, R.J., Moore, K.A., Stevenson, J.C., Carter, V., Kollar, S., Bergstrom, P.W. and Batiuk, R.A. (1993). Assessing water quality with submersed aquatic vegetation: Habitat requirements as barometers of Chesapeake Bay health. *BioScience* **42**(2), 86-94.
- Fortes, M.D. (1989). Seagrasses: A Resource Unknown in the ASEAN Region. International Centre for Living Aquatic Resources Management Education Series 5, 46 pp. Manila, Philippines.
- Furnas, M.J. and Mitchell, A.W. (1997). Biological Oceanography of the Great Barrier Reef. In: Great Barrier Reef Science, Use and Management Conference. James Cook University of North Queensland, Townsville, Nov. 1996. (Eds. D. Yellowlees, J. Crossland). pp. 75-87.
- Jackson, J.B.C., Cubit, J.D., Keller, B.D., Batista, V., Burns, K., Caffey, H.M., Caldwell, R.L., Garrity, S.D., Getter, C.D., Gonzalez, C., Guzman, H.M., Kaufmann, K.W., Knap, A.H., Levings, S.C., Marshall, M.J., Steger, R., Thompson, R.C. and Weil, E. (1989). Ecological effects of a major oil spill on Panamanian Coastal marine Communities. *Science* **243**, 37-44.

- Kuo, J. and McComb, A.J. (1989). Seagrass taxonomy, structure and development. In 'Biology of Seagrasses: A Treatise on the Biology of Seagrasses With Special Reference to the Australian Region.' (Eds A. W. D. Larkum, A. J. McComb and S. A. Shepherd.) Chapter 2, pp. 6-73. (Elsevier: New York.).
- Lanyon, J.M., Limpus, C.J. and Marsh, H. (1989). Dugongs and turtles: grazers in the seagrass system. In 'Biology of Seagrasses: A treatise on the biology of seagrasses with special reference to the Australian region'. A.W.D. Larkum, A.J. McComb and S.A. Shepherd (Eds). Elsevier: Amsterdam, New York. pp. 610-34.
- Larcombe, P., Woolfe, K.J., Amjad, N., Barnes, D.J. Brodie, J., Brunskill, G.J., Bryce, S., Carter, R.M., Costen, A., Crook, K.A.W., Crossland, C., Deacon, G.L., Ferland, M.A., Gorrie, A., Grindrod, J., Johnson, D.P., McIntyre, C., Neil, D.T., Okubo, C. Orpin, A.R., Purdon, R.G., Pye, K., Ridd, P.V., Shulmeister, J., Taylor, J., and Walker, G.S. (1996). Terrigenous sediment fluxes and the central Great Barrier Reef shelf: the current state of knowledge. In P. Larcombe, K. Woolfe and R. Purdon (Eds.) Great Barrier Reef: Terrigenous Sediment Flux and Human Impacts Second Edition - Nov 1996. CRC Reef Research Centre, Current Research, Townsville, Australia. pp.7-23.
- Lee Long, W.J., Coles, R.G., Derbyshire, K.J., Miller, K.J. and Vidler, K.P. (1992). Seagrass beds and juvenile prawn and fish nursery grounds, Water Park Point to Hervey Bay, Queensland. Queensland Department of Primary Industries Information Series QI92011.
- Lee Long, W.J., Mellors, J.E. and Coles, R.G. (1993). Seagrasses between Cape York and Hervey Bay, Queensland, Australia. *Australian Journal of Marine and Freshwater Research*. **44**(1), 19-31.
- Lee Long, W.J., Coles, R.G., and McKenzie, L.J. (1996). Deepwater seagrasses in north-eastern Australia - how deep, how meaningful? In. 'Seagrass Biology: Proceedings of an International Workshop, Rottnest Island, Western Australia 25-29 January, 1996'. (Eds. J. Kuo, R. C. Phillips, D. I. Walker, and H. Kirkman.) pp. 41-50. (Faculty of Sciences, The University of Western Australia: Perth).
- Lee Long, W.J., McKenzie, L.J. and Coles, R.G. (1997a). Seagrass communities in the Shoalwater Bay region, Queensland - Spring (September) 1995 and Autumn (April) 1996. Queensland Department of Primary Industries Information Series QI96042 (QDPI, Brisbane) 38 pp.
- Lee Long, W.J., Coles, R.G., and McKenzie, L.J. (1997b). Impacts on and responses of seagrasses in the Great Barrier Reef - Issues for management. In: Great Barrier Reef Science, Use and Management Conference. James Cook University of North Queensland, Townsville, Nov. 1996. (Eds. D. Yellowlees, J. Crossland) pp. 101-106.
- Limpus, C.J. and Nicholls, N. (1988). The Southern Oscillation regulates the annual numbers of green sea turtles (*Chelonia mydas*) breeding around northern Australia. *Australian J. Wildlife Research* **15**, 157-61.
- Marsh, H. (In Press). Reproduction in sirenians. In Marine Mammals, J.E. Reynolds and J.R. Twiss., Smithsonian Institution Press.
- Maxwell, W.G.H. (1968). Atlas of the Great Barrier Reef. Elsevier Publishing Company, Amsterdam. 258 pp.
- McKenzie, L.J. (1994). Seasonal changes in biomass and shoot characteristics of a *Zostera capricorni* Aschers. dominant meadow in Cairns Harbour, northern Queensland. *Australian Journal of Marine and Freshwater Research* **45**, 1337-1352.
- Mellors, J.E. (1991). An evaluation of a rapid visual technique for estimating seagrass biomass. *Aquatic Botany* **42**, 67-73.
- Mellors, J.E., Marsh, H. and Coles, R.G. (1993). Intra-annual changes in seagrass standing crop, Green Island, northern Queensland. In 'Tropical Seagrass Ecosystems; Structure and Dynamics in the Indo-West Pacific.' *Australian Journal of Marine and Freshwater Research* **44**, 33-42.
- Onuf, C.P. (1994). Seagrasses, dredging and light in Laguna Madre, Texas, U.S.A. *Estuarine, Coastal and Shelf Science* **39**, 75-91.

- Poiner, I.R., Walker, D.I. and Coles, R.G. (1989). Regional studies - seagrasses of tropical Australia. In 'Biology of Seagrasses (Eds A.W.D. Larkum, A.J. McComb and S.A. Shepherd.) Chapter 10, pp. 279-296. (Elsevier: New York.)
- Preen, A.R., Lee Long, W.J. and Coles, R.G. (1995). Flood and cyclone related loss, and partial recovery, of more than 1,000 km² of seagrass in Hervey Bay, Queensland, Australia. *Aquatic Botany* **52**, 3-17.
- Preen, A.R. and Marsh, H. (1995). Response of dugongs to large-scale loss of seagrass from Hervey Bay, Queensland, Australia. *Wildlife Research* **22**, 507-19.
- Pringle, A.W. (1989). The history of dredging in Cleveland Bay, Queensland and its effect on sediment movement and on the growth of mangroves, corals, and seagrass.' Great Barrier Reef Marine Park Authority Research Publication, 177pp.
- Queensland Department of Transport (1996). The Official Tide Tables and Boating Safety Guide, 1996. 216pp.
- Shepherd, S.A., McComb, A.J., Bulthuis, D.A., Neverauskas, V., Steffensen, D.A. and West, R. (1989). Decline of seagrass. In 'Biology of Seagrasses.' (Eds A. W. D. Larkum, A. J. McComb and S. A. Shepherd) Chapter 12, pp.346-393. (Elsevier: New York.)
- Short, F.T. (1987). Effects of sediment nutrients on seagrasses: Literature review and mesocosm experiment. *Aquatic Botany* **27**, 41-57.
- Sokal, R.R. and Rolf, F.J. (1987). 'Introduction to Biostatistics.' (W.H. Freeman: New York.) 363 pp.
- Watson, R.A., Coles, R.G. and Lee Long, W.J. (1993). Simulation estimates of annual yield and landed value for commercial penaeid prawns from a tropical seagrass habitat, northern Queensland, Australia. In 'Tropical Seagrass Ecosystems; Structure and Dynamics in the Indo-West Pacific.' *Australian Journal of Marine and Freshwater Research* **44**, 211-220.
- Wolanski, E. (1994). Physical Oceanographic Processes of the Great Barrier Reef. CRC Press, Boca Raton, USA. 194 pp.

Notes:

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting or typing. There are no margins, text, or other markings on the page.