

TABLE OF CONTENTS

ACKNOWLEDGMENTS	vii
SUMMARY AND RECOMMENDATIONS	1
BACKGROUND TO THIS REPORT	5
1. TRACE METALS IN TORRES STRAIT SEDIMENTS	6
Background	6
Methods and Materials	6
Sample Collection and Storage	6
Trace Metal Analysis	7
Statistical Analysis	7
Results	8
Seasonal and Spatial Patterns in Surface Salinity	8
Physico-Chemical Properties of Sediments	8
Trace Metals and Other Elements in Sediments	9
<i>Spatial Patterns</i>	9
<i>Seasonal Patterns</i>	11
Discussion	12
The Extent of Influence of the Fly River into Torres Strait	12
Distributions, Concentrations and Sources of Trace Metals and Other	
Elements in Torres Strait Sediments	14
Comparisons with Other Studies of Torres Strait Sediments	15
Comparisons with Studies from Other Regions	16
2. TRACE METALS IN INDICATOR ORGANISMS (<i>Tridacna crocea</i> and	
<i>Polymesoda erosa</i>)	22
Background	22
Methods and Materials	22
Pre-Collecting Preparations	22
Sample Collection	22
<i>Burrowing clams (<i>Tridacna crocea</i>)</i>	22
<i>Mangrove cockles (<i>Polymesoda erosa</i>)</i>	23
Trace Metal Analysis	24
<i>Inter-Laboratory Comparison</i>	24
Statistical Analysis	24
Results	25
Burrowing Clams (<i>Tridacna crocea</i>)	25
<i>Comparison of Methods</i>	25
<i>Inter-laboratory Comparisons</i>	25
<i>Levels of Trace Metals and Other Elements</i>	25
<i>Spatial Patterns</i>	25
<i>Seasonal Patterns</i>	27
Mangrove Cockles (<i>Polymesoda erosa</i>)	28
<i>Size Differences Among Stations</i>	28
<i>Spatial Patterns</i>	28
Discussion	30
Burrowing Clams (<i>Tridacna crocea</i>)	30
<i>Variations in the Levels of Trace Metals and Other Elements</i>	
<i>Throughout the Torres Strait and Requirements for Future</i>	
<i>Monitoring</i>	30

	<i>Variations in Trace Metals Over Time</i>	31
	<i>Comparisons with Earlier Torres Strait Studies</i>	33
	<i>Inter-Regional Comparisons</i>	34
	Mangrove Cockles (<i>Polymesoda erosa</i>)	35
	<i>Comparisons with Other Studies</i>	35
3.	TRACE METALS IN THE TRADITIONAL SEAFOODS OF THE TORRES STRAIT	46
	Background	46
	Methods and Materials	46
	Sample Collection and Preparation	46
	<i>Fishes</i>	46
	<i>Mangrove Cockle (Polymesoda erosa)</i>	47
	<i>Mud Crab (Scylla serrata)</i>	47
	<i>Crayfish (Panulirus ornatus)</i>	47
	<i>Dugong (Dugong dugon)</i>	47
	<i>Green Turtle (Chelonia mydas)</i>	47
	Trace Metal Analysis	47
	Comparisons with Standards	48
	Results	48
	<i>Fishes</i>	48
	<i>Mangrove Cockle (Polymesoda erosa)</i>	49
	Crustaceans	49
	<i>Mud Crab (Scylla serrata)</i>	49
	<i>Crayfish (Panulirus ornatus)</i>	49
	<i>Dugong (Dugong dugon)</i>	49
	<i>Green Turtle (Chelonia mydas)</i>	50
	Discussion	50
	Comparisons with the Pilot Study	50
	Health Implications	52
	Sources of Elevated Trace Metals	53
4.	FUTURE MONITORING	58
	LITERATURE CITED	60
	APPENDICES	
1	Preparation procedures and analytical methods associated with sediment samples from the Torres Strait Baseline Study	66
2	A comparison of sediment arsenic concentrations in the monsoon season determined by different methods	68
3	Physical and chemical properties of sediment samples collected in the Torres Strait in pre-monsoon and monsoon seasons	70
4	Summary of the levels of trace metal and other elements in sediments collected in the Torres Strait in the pre-monsoon and monsoon seasons	74
5	Trace metal and element concentrations in Torres Strait sediments in pre-monsoon and monsoon seasons	80

6	Formulae used for the calculation of F ratios and variance components for analysis of variance of sediment trace metal data.....	98
7	Procedures used by Queensland Department of Primary Industry (Animal Research Institute) for trace metal analysis of biological samples	106
8	Summary of trace metal levels in burrowing clams in both seasons, throughout the Torres Strait	108
9	Trace metal concentrations in kidneys of the burrowing clam (<i>T. crocea</i>) in pre-monsoon and monsoon seasons in the Torres Strait	114
10	Formulae used for the calculation of F ratios and variance components for analysis of variance of burrowing clam trace metal data	130
11	Results of a comparison, among stations in each season, of the mean levels of each metal by Tukey's HSD test	136
12	Shell length of mangrove cockles (<i>Polymesoda erosa</i>) collected for this study.....	142
13	Summary of trace metal levels in whole mangrove cockle (<i>P. erosa</i>).....	144
14	Concentrations of trace metals in whole mangrove cockle collected during the pre-monsoon season in Torres Strait	146
15	Analysis of variance (ANOVA) tables comparing the effects of station and site on trace metal levels in mangrove cockles	162
16	Trace metal levels in the kidney of <i>T. crocea</i> collected between 1978 and 1985 and in 1992 during the present study	166
17	Comparison between Torres Strait and comparable Great Barrier Reef locations of the levels of cadmium and copper in kidneys of <i>T. crocea</i>	168
18	Concentrations of metals for which an MPC exists for fishes.....	170
19	Concentrations of metals for which an MPC exists for the mangrove cockle (<i>Polymesoda erosa</i>).....	172
20	Concentrations of metals for which an MPC exists, in crustaceans.....	174
21	Concentrations of metals for which an MPC exists in tissues of dugong (<i>Dugong dugong</i>)	176
22	Concentrations of metals for which an MPC exists in tissues of green turtle (<i>Chelonia mydas</i>)	178
23	Mean quantities of certain traditional seafoods which if consumed would place the consumer at the levels recommended in the PTWI estimates.....	180

TABLES

2.1	Comparison on the effects of two types of handling on the levels of trace metals in the kidneys of burrowing clams	38
2.2	Inter-laboratory comparison of the levels of trace metals in burrowing clams collected during the pre-monsoon and monsoon seasons	39
3.1	Specimens of community seafoods analysed for the Main Study	55
3.2	The potential consumption rates of turtle tissues in the Torres Strait	57

FIGURES

1.1	Locations of sediment collecting stations in the Torres Strait	17
1.2	Surface salinities in the Torres Strait during the pre-monsoon and monsoon seasons	18
1.3	Canonical discriminant analysis reduced plot, based on trace metal concentrations in Torres Strait sediments in pre-monsoon and monsoon seasons	19
1.4	Plots of structural coefficients and canonical coefficients as a basis for explaining the patterns shown in the reduced plot	20
2.1	Collecting stations for indicator organisms in the Torres Strait	37
2.2	Canonical discriminant analysis reduced plot of trace metal concentrations in burrowing clams in Torres Strait in pre-monsoon and monsoon seasons	40
2.3	Plots of structural coefficients and canonical coefficients as a basis for explaining the patterns shown in the reduced plot in figure 2.2	41
2.4	Canonical discriminant analysis reduced plot, based on concentrations of trace metals in mangrove cockle collected during the pre-monsoon in the Torres Strait	43
2.5	Plots of structural coefficients and canonical coefficients as a basis for explaining the patterns shown in the reduced plot in figure 2.4	44
3.1	Map of the Torres Strait showing locations from which samples were collected	56